

- Hot Tapping Saddles/Sleeves/Fittings
- Hot Tap and Line Stop Machines
- · Line Stopping Saddles/Sleeves/Fittings
- · Pipe Freeze Kits
- Pipe Repair Clamps
- Deep Hole Saws and more...



# The TapMaster<sup>TM</sup> TM-1 Pro Series Hot Tap Machine

Made for Professionals by Professionals



Capacity: from 3/4" to 6" for Hot Tapping Copper, Steel, Cast Iron, Ductile, and Plastic Pipe

## **Specifications:**

Designed for drilling holes in active water, sewer and air lines

Pressure rating: 300psig., 100<sup>0</sup> F Cold working pressure - Buna Seals

Pressure Rating: 200psig., 250<sup>0</sup> F Hot working pressure - Silicon Seals (optional)

Pressure Rating: 150psig., 350<sup>0</sup> F Hot working pressure - Silicon Seals (optional)

Temperature Rating: -40 to 250° F with Buna seals

Temperature Rating: -65 to 425<sup>0</sup> F with Silicone seals

Hydro-test Pressure: 350 psig., cold, non-shock

#### **Boring Bar Stroke:**

Short Boring Bar = 13.75"

Long Boring Bar = 48.00"

#### **Feed Screw Stroke:**

3" to 8.50" = Positional at any locations, covering approximately 15" of cutter feed

### **Power Motor:**

Milwaukee 1675-6 - 1/2" Hole Hawg Electric Motor = 300 free rpm; 120 v 60HZ



- Hot Tapping Saddles/Sleeves/Fittings
- Hot Tap and Line Stop Machines Line Stopping Saddles/Sleeves/Fittings
- Pipe Freeze Kits
- Pipe Repair Clamps
- Deep Hole Saws and more...

## Example:



MODEL	DESCRIPTION	PRICE
TM-1 Pro-13	TM-1 Pro Series Hot Tap Machine (1.00" to 3.00" Base System) Includes: TM-1 Pro 3-Rail Hot Tap Machine with 1.00", 1-1/2", 2.00", 2- 1/2" and 3.00" Threaded NPT Adapters and HSS Shell Cutters for Steel/Copper pipe, Boring Bars, Packing Gland etc Shipping Weight approx. 70-lbs.  Optional: 3/4" & 1-1/4" NPT Adapters, 4x4 Companion Flange for 4.00" flanged taps, 4.00" NPT Adapter and Boring Bars, 6.00" Flanged Adapter, drive head and boring bars, 4.00" and 6.00" MJ Flange Gaskets.	\$3,995.00
TM-1 Pro-344	TM-1 Pro Series Hot Tap Machine (3/4" to 4.00" System) Includes: TM-1 Pro 3-Rail Hot Tap Machine with 28" HD Case with 3/4", 1.00", 1-1/4", 1-1/2", 2.00", 2-1/2", 3.00" & 4.00" Threaded NPT Adapters and HSS Shell Cutters for Steel/Copper pipe, and 4x4 Companion Flange for 4.00" flanged taps. Shipping Weight approx. 100-lbs.  Optional: 6.00" Flanged Adapter, Drive Head, 3/4" x Boring Bars, HSS Cutters and 4.00" and 6.00" MJ Flange Gaskets.	\$5,895.00



- Hot Tapping Saddles/Sleeves/Fittings
- Hot Tap and Line Stop Machines
- Line Stopping Saddles/Sleeves/Fittings
- Pipe Freeze Kits
- Pipe Repair Clamps
- Deep Hole Saws and more...

TM-1 Pro-14	TM-1 Pro Series Hot Tap Machine (1.00" to 4.00" System) Includes: TM-1 Pro 3-Rail Hot Tap Machine with 28" HD Case with 1.00", 1-1/2", 2.00", 2-1/2", 3.00" & 4.00" Threaded NPT Adapters and HSS Shell Cutters for Steel/Copper pipe, and 4x4 Companion Flange for 4.00" flanged taps. Shipping Weight approx. 85-lbs.  Optional: 3/4" NPT Adapter, 6.00" Flanged Adapter and 3/4" Boring Bars and cutters, 4.00" and 6.00" MJ Flange Gaskets.	\$5,195.00	
TM-1 Pro-15	TM-1 Pro Series Hot Tap Machine (1.00" to 3.00" +6.00" Flg System) Includes: TM-1 Pro 3-Rail Hot Tap Machine with 28" HD Case with 1.00", 1-1/2", 2.00", 2-1/2", & 3.00", Threaded NPT Adapters and 6.00" Flanged Adapter, 6.00" Packing Gland, 23"x3/4" and 28"x3/4" Boring Bars and HSS Shell Cutters for Steel/Copper pipe. Shipping Weight approx. 130-lbs.  Optional: 3/4" NPT Adapter, 4.00" NPT Adapter, 4x4 Companion Flange for 4.00" flanged taps, Boring Bars, Cutters and 4.00" and 6.00" MJ Gaskets.	\$5,950.00	
TM-1 Pro-16	TM-1 Pro Series Hot Tap Machine (1.00" to 6.00" System) Includes: TM-1 Pro 3-Rail Hot Tap Machine with (2) HD Cases with 1.00", 1-1/2", 2.00", 2-1/2", 3.00", 4.00" Threaded NPT Adapter, 4x4 Companion Flange for 4.00" Flanged taps, 6.00" Flanged Adapter, 6.00" Packing Gland, 23"x3/4" and 28"x3/4" Boring Bars and HSS Shell Cutters for Steel/Copper pipe. Shipping Weight approx. 150-lbs.  Optional: 3/4" & 1-1/4 NPT Adapters, & 4.00" & 6.00" MJ Flange Gaskets.	\$7,150.00	
TM-1 Pro-346	TM-1 Pro Series Hot Tap Machine (3/4" to 6.00" System) Includes: TM-1 Pro 3-Rail Hot Tap Machine with (2) HD Cases with 3/4", 1.00", 1-1/4", 1-1/2", 2.00", 2-1/2", 3.00", 4.00" Threaded NPT Adapter, 4x4 Companion Flange for 4.00" Flanged taps, 6.00" Flanged Adapter, 6.00" Packing Gland, 23"x3/4" and 28"x3/4" Boring Bars and HSS Shell Cutters for Steel/Copper pipe. Shipping Weight approx. 170-lbs.  Optional: 4.00" and 6.00" MJ Flange Gaskets.	\$7,850.00	
TM-1 Pro			





- Hot Tapping Saddles/Sleeves/Fittings
- Hot Tap and Line Stop Machines
- Line Stopping Saddles/Sleeves/Fittings
- Pipe Freeze Kits
- Pipe Repair Clamps
- Deep Hole Saws and more...

#### **ADAPTERS FOR NPT THREAD**

Size	Description	Price
TM-SA34	3/4" MIP Threaded Sub-Adaptor	\$ 325.00
TM-SA10	1.0" MIP Threaded Sub-Adaptor	\$ 350.00
TM-SA12	1.25" MIP Threaded Sub-Adaptor	\$ 360.00
TM-SA-5	1.50" MIP Threaded Sub-Adaptor	\$ 355.00
TM-SA20	2.0" MIP Threaded Sub-Adaptor	\$ 395.00
TM-SA25	2.5" MIP Threaded Sub-Adaptor	\$ 430.00
TM-SA30	3.0" MIP Threaded Sub-Adaptor	\$ 450.00
TM-SA40	4.0" MIP Threaded Sub-Adaptor	\$ 485.00

#### REPLACEMENT CUTTER SHELLS FOR STEEL AND COPPER

Size	Description	Price
3/4" Taps	5/8" dia x 1-7/8" Blu-Mol HSS Cutter	\$ 5.12
1.00" Taps	7/8" dia x 1-7/8" Blu-Mol HSS Cutter	\$ 5.32
1-1/4" Taps	1-1/8" dia x 1-7/8" Blu-Mol HSS Cutter	\$ 5.32
1-1/2" Taps	1-3/8" dia x 1-7/8" Blu-Mol HSS Cutter	\$ 5.78
2.00" Taps	1-3/4" dia x 1-7/8" Blu-Mol HSS Cutter	\$ 7.16
2-1/2" Taps	2-1/4" dia x 1-7/8" Blu-Mol HSS Cutter	\$ 8.87
3.00" Taps	2-3/4" dia x 1-7/8" Blu-Mol HSS Cutter	\$ 9.56
4.00" Taps	3-3/4" dia x 1-7/8" Blu-Mol HSS Cutter	\$ 13.53
6.00" Taps	5-1/2" dia x 1-7/8" Blu-Mol HSS Cutter	\$ 43.16

## Distributed By:

## PipeMan Products, Inc.

1647 Willow Pass Rd., #240 Concord, CA 94520 - TF: 1-877-PIPEMAN (747-3626)